

HEALTH > COVID-19 > COVID VACCINES

Australian Researchers Call for Pause on Gene-Based COVID-19 Vaccines Amid Spike in Excess Deaths

In one region of Australia, there were 23 times more adverse reactions from COVID-19 vaccines than all other vaccines combined.





By [Naveen Athrappully](#)

12/22/2023 Updated: 1/1/2024

Australia saw an increase in the number of excess deaths following COVID-19 vaccination, with authorities reporting high levels of adverse events among people who took the jabs, according to a recent study, which called for pausing the jabs.

In many nations, the COVID-19 pandemic was followed by the introduction of mostly mRNA vaccines along with strict economic and social mandates.

However, in Australia this “operated the other way around. Social lockdown and vaccination preceded the main viral pandemic,” said the study, which was published in the January 2024 issue of [Pathology](#) journal.

Story continues below advertisement

Ads By [tapnative](#)

Your Health Matters



A Teaspoon On An Empty Stomach May Remove 12Lbs Fat Per Week

Women's Health News



If You Eat Oatmeal Every Day This Is What Happens

Gundry MD

“Australian COVID-19 vaccination campaigns began pre-pandemic, in March 2021, shortly before increased excess deaths from May 2021 onwards,” it said.

“Most COVID-19 related deaths in Australia occurred between September 2021 and September 2022.”

In 2020, less than 1,000 COVID-19 related deaths were reported in the country. A year later in 2021, only around 1,300 such deaths were reported.

However, 2021 saw more than 10,000 excess deaths.

“Therefore, around 90 percent of excess deaths were non-COVID deaths,” the researchers concluded.

The study cited a 2021 annual report from the Western Australia Vaccine Safety Surveillance (WAVSS) which mentioned that in the state, adverse events after COVID-19 vaccination were at 264.1 per 100,000 doses that year. This was more than 23 times the adverse reactions from other vaccines, which stood at 11.1 events per 100,000 doses.

Dr. Peter McCullough: No Evidence That Our Bodies Can Get Rid of Vaccine mRNA

In 2021, WAVSS received 10,726 reports of adverse events related to vaccination, up from just 270 the previous year. Out of this, 10,428, or 97 percent, occurred after the individual took a COVID-19 vaccine, the report stated.

The highest adverse event rate was recorded for the AstraZeneca COVID-19 vaccine at 306.1 per 100,000 doses. Moderna followed with 281.4, and Pfizer came third with 244.8 events.

The researchers pointed out that Australia has only confirmed a few COVID-19 vaccine-related deaths despite a higher number of such reports.

The country's Therapeutic Goods Administration (TGA), which monitors the safety of therapeutic goods approved for use in Australia, has recognized 14 deaths related to COVID-19 vaccination.

However, the TGA's Database of Adverse Events Notifications reported 983 deaths in total, or 70 times higher. The TGA states that only 14 deaths were determined to be linked to vaccination after it "received and reviewed" the 983 death reports.

The study authors insisted that "neither risk nor cost can justify these products for the vast majority of people."

"The haste and scale of development, production, and distribution of these new pharmaceuticals is unprecedented in history. Key phase III clinical trials for these products are yet to be fully completed, despite administration to billions of people," they wrote.

"We should pause, reflect, and reaffirm essential freedoms, welcome the end of the COVID-19 pandemic, embrace natural immunity, and lift all mandated medical therapy."

The researchers declared no competing interest in the study.



A father covers the face of his son as he receives a Pfizer COVID-19 vaccine in Balgowlah in Sydney, Australia, on Jan. 11, 2022. (Jenny Evans/Getty Images)

Vaccine Complications Worldwide

The study also detailed COVID-19 vaccine-related health complications and deaths that occurred around the globe. It cited research by vaersanalysis.info which showed that the U.S. Vaccine Adverse Events Reporting System database recorded 35,911 deaths related to COVID-19 vaccination from December 2020 through Aug. 11 this year.

This is more than three times the total deaths from all other vaccines combined between 1990 and Aug. 11 which stood at 10,386 deaths.

Deaths per million doses of COVID-19 vaccine from 2020 to Aug. 11 stood at 25.93, which is far higher than other vaccine deaths between 2006 and 2009. The second-placed vaccine registered fewer than four deaths per million doses.

The researchers called myocarditis—the inflammation of a heart muscle—in young and healthy people a matter of “particular concern.”

In Thailand, myocarditis or cardiac inflammation has been found at a 2.3 percent rate following the administration of the second dose of Pfizer vaccine, the study said. In Switzerland, health care workers reported such complications at a rate of 2.8 percent after the Moderna booster dose.

The condition was reported at a “0.62 percent rate after the second Pfizer booster dose in Israeli healthcare workers, though higher rates of chest pain (3.7 percent) and palpitations (2.16 percent)” were also registered.

In Hong Kong, a follow-up study of vaccinated individuals found potential myocardial scar tissue among 58 percent of the participants.

“Youth are at greater risk of harm from these agents than the elderly, yet they are at negligible risk from the COVID-19 viruses themselves and show robust natural immunity,” the study said.

Multiple other studies have reported risk of heart issues among vaccinated people. A [Sept. 19 Japanese study](#) published by the Radiological Society of North America found that individuals who took COVID-19 vaccines had high levels of a glucose analogue compared to unvaccinated individuals, suggesting heart inflammation.

A German study [published last month](#) that conducted autopsies of 25 individuals found that five of them had myocarditis. These individuals died “unexpectedly” within 20 days after taking a COVID-19 shot. The five individuals had received a Pfizer or Moderna shot within seven days of their death.

Untested ‘Vaccines’

The researchers of the January 2024 study questioned the use of the term “vaccine” to refer to the mRNA and viral-vector DNA COVID-19

vaccines administered to the public.

Efficacy of these products have been “inconsistent with the traditional sense of ‘vaccine,’” it said. Their failure to “prevent infection or transmission of the COVID-19 variants eventually led the US Centers for Disease Control and Prevention (CDC) to reinvent their definition for ‘vaccine.’”

“In technical, pharmacological design terms, these products are accurately described as ‘pro-drugs’. Genetic code must enter human cells and undergo translation before intended active outcomes unfold. Unintended consequences are thus possible.”

It noted that until as recently as 2020, mRNA and viral vector technologies were “restricted to rare conditions.” Moreover, these products were “experimental.”

“Evidence indicates that these agents (mRNA and viral vector DNA COVID-19 vaccines) should not have been mandated,” the study stated. “To mandate experimental medical therapy of any kind is to violate fundamental individual human rights of autonomy.”

Cardiologist Dr. Peter McCullough has warned that mRNA vaccines inject a “foreign genetic code” into human beings, which the body fails to break down or expel for a prolonged period of time. In an [Oct. 5 interview](#), he called mRNA vaccines “a completely failed concept. It’s a dangerous concept.”

Furthermore, recent research has revealed that Pfizer mRNA vaccines mistranslate instructions to make proteins in a phenomenon called [frameshifting](#). This discovery has led to conclusions by several experts that the COVID-19 vaccines are [fundamentally faulty](#).

SHARE IT NOW



Naveen Athrappully

Author

Naveen Athrappully is a news reporter covering business and world events at The Epoch Times.

Author's Selected Articles

1 in 5 Healthcare Providers Failed to Meet CDC Vaccine Storage Standards: Study

Dec 31, 2023



Trump Breaks With Ohio Gov. After Veto of Ban on Child Transgender Surgeries

Dec 31, 2023



Trump Questions Biden's Cognitive Abilities as 2024 Presidential Race Draws Near

Dec 30, 2023



'We Must Be Very Cautious With Genetic Medicines': Dutch Molecular Biologist Warns

Dec 30, 2023



RELATED TOPICS

[Australia](#) [Vaccines](#) [COVID-19](#) [excess deaths](#) [adverse reactions to covid vaccines](#)

EPOCH HEALTH



Explore Our Health Newsletters

Get the best in health and wellness. See all of our inspiring newsletter.

CHOOSE YOURS NOW

Newsletters

Health: Rise & Shine

Wellness: Mind, Body & Soul

21-Day Super Immunity Challenge

Gut Health

Arthritis & Chronic Pain

Vaccine Investigation

Integrative Medicine

Nutrition & Supplements

Aging Well

The Essential Guide

Heart Disease

Parkinson's Disease

Cancer

Tinnitus

Arthritis

Alzheimer's Disease

Anxiety

Migraines

Kidney Disease

Special

Original Series

The Essential Guide

Books

Brain Games

Challenge

THE CONTENT IN EPOCH HEALTH IS NOT INTENDED TO BE A SUBSTITUTE FOR PROFESSIONAL MEDICAL ADVICE, DIAGNOSIS OR TREATMENT. NEVER DISREGARD PROFESSIONAL MEDICAL ADVICE, OR DELAY IN SEEKING IT, BECAUSE OF SOMETHING YOU HAVE READ IN THIS PUBLICATION. NEVER RELY ON INFORMATION IN THIS PUBLICATION IN PLACE OF SEEKING PROFESSIONAL MEDICAL ADVICE. EPOCH HEALTH DOES NOT RECOMMEND OR ENDORSE ANY SPECIFIC TESTS, PRODUCTS, PROCEDURES, OPINIONS OR OTHER INFORMATION THAT MAY BE PROVIDED IN THIS PUBLICATION. [SEE ADDITIONAL INFORMATION.](#)

[Contact Us](#) [Media Statements](#) [About Us](#) [RSS Feeds](#) [Terms of Services](#)

[Privacy Policy](#) [Copyright Policy](#) [Data Disclaimer](#) [Digital Newspaper](#)

[Our Story](#) [Subscribe](#) [Careers](#)

Copyright © 2000 - 2024 The Epoch Times Association Inc. All Rights Reserved.

[Cookies Settings](#)